Author Index Volume 11

(The issue number is given in front of the page numbers)

Angel, E., see Chang, L.C.	(1) 39 $-$ 69
Aumann, G., Canal surfaces versus normal ringed surfaces (Letter to the Editors)	(4) 475–476
Barnhill, R.E., see Hansford, D.	(5) 519–531
Bein, W.W., see Chang, L.C.	(1) 39- 69
Bercovier, M. and A. Jacobi, Minimization, constraints and composite Bézier curves	(5) 533-563
Carnicer, J.M. and J.M. Peña, Totally positive bases for shape preserving curve design	
and optimality of B-splines	(6) 633-654
Chang, G. and T.W. Sederberg, Nonnegative quadratic Bézier triangular patches	
(Short Communication)	(1) 113–116
Chang, L.C., W.W. Bein and E. Angel, Surface intersection using parallelism	(1) 39- 69
Chang, WT., see Hsieh, HC.	(1) 71- 95
Chen, F.L., see Feng, Y.Y.	(1) 97–107
Chen, JL., see Hamann, B.	(3) 289 - 301
Chen, JL., see Hamann, B.	(5)477-489
Cheng, C. and Y.F. Zheng, Thin plate spline surface approximation using Coons'	
patches	$(3)\ 269-287$
Cottin, C. and R. van Damme, Construction of a VC1 interpolant over triangles via	
edge deletion	(6) 675–686
Duchaineau, M.A., Using general polar values as control points for polynomial curves	(4) 411-423
Eisele, E.F., Best approximations of symmetric surfaces by biquadratic Bézier surfaces	(3) 331–343
Farin, G., see Hansford, D.	(5) 519-531
Farouki, R.T. , The conformal map $z \rightarrow z^2$ of the hodograph plane	$(4)\ 363-390$
Farouki, R.T. and J.K. Johnstone, The bisector of a point and a plane parametric	
curve	(2) 117-151
Feng, Y.Y., F.L. Chen and H.L. Zhou, The invariance of weak convexity conditions of	
B-nets with respect to subdivision	(1) 97–107
Geise, G. and Th. Nestler, Bézier representation of conics of contact in the projective	
plane	(3) 233-245
Gregory, J.A. and J. Zhou, Filling polygonal holes with bicubic patches	(4) 391–410
Hamann, B., A data reduction scheme for triangulated surfaces	(2) 197-214
Hamann, B., Curvature approximation of 3D manifolds in 4D space	(6) 621 - 632
Hamann, B. and JL. Chen, Data point selection for piecewise linear curve approximation	(3) 289–301
Hamann, B. and JL. Chen, Data point selection for piecewise trilinear approxima-	(5) 20) 501
tion	(5) 477-489
Hansford, D., R.E. Barnhill and G. Farin, Curves with quadric boundary precision	(5) 519–531
Hsieh, HC. and WT. Chang, Virtual knot technique for curve fitting of rapidly	
varying data	(1) 71- 95

Jacobi, A., see Bercovier, M.	(5) 533-563
Joe, B. and W. Wang, Reparameterization of rational triangular Bézier surfaces	(4) 345-361
Johnstone, J.K., see Farouki, R.T.	(2) 117-151
Kaklis, P.D. and N.S. Sapidis, Curvature-sign-type boundary conditions in parametric	
cubic-spline interpolation	(4) 425-450
Klimaszewski, K.S., see Sederberg, T.W.	(6) 687-706
Lai, MJ. , Approximation order from bivariate C^1 -cubics on a four-directional mesh is full	(2) 215–223
Lee, E.T.Y., Remarks on an identity related to degree elevation (Short Communication)	(1) 109–111
Lee, E.T.Y., Computing a chain of blossoms, with application to products of splines	(6) 597–620
Le Méhauté, A. and F.I. Utreras, Convexity-preserving interpolatory subdivision	(1) 17- 37
Loop, C., A G^1 triangular spline surface of arbitrary topological type	(3) 303-330
Lü, X., see Nowacki, H.	(1) 1- 15
,,,,	(1)
Marin, S.P. and P.W. Smith, Parametric approximation of data using ODR splines	(3) 247-267
Mazure, ML., Geometric contact for curves and surfaces	(2) 177-195
, ,	(-, -, -, -, -, -, -, -, -, -, -, -, -, -
Neamtu, M. and P.R. Pfluger, Degenerate polynomial patches of degree 4 and 5 used	
for geometrically smooth interpolation in \mathbb{R}^3	(4) 451-474
Nestler, Th., see Geise, G.	(3) 233-245
Nowacki, H. and X. Lü, Fairing composite polynomial curves with constraints	(1) 1- 15
Opitz, K., see Pottmann, H.	(6) 655–674
Peña, J.M., see Carnicer, J.M.	(6) 633-654
Pfluger, P.R., see Neamtu, M.	(4) 451–474
Piper, B., see Prautzsch, H.	(2) 229
Pottmann, H. and K. Opitz, Curvature analysis and visualization for functions defined	(2)
on Euclidean spaces or surfaces	(6) 655-674
Prautzsch, H., On Degen's conjecture (Short Communication)	(5) 593-596
Prautzsch, H. and B. Piper, A fast algorithm to raise the degree of spline curves	(3/3/3-3/0
(Erratum)	(2) 229
,—·······	(=)
Qi, D., see Sederberg, T.W.	(6) 687-706
	.,
Saito, T., see Sederberg, T.W.	(6) 687-706
Sánchez-Reyes, J., Single-valued surfaces in spherical coordinates	(5) 491-517
Sánchez-Reyes, J., Single-valued tubular patches	(5) 565-592
Sapidis, N.S., see Kaklis, P.D.	(4) 425-450
Sederberg, T.W., see Chang, G.	(1) 113-116
Sederberg, T.W., T. Saito, D. Qi and K.S. Klimaszewski, Curve implicitization using	
moving lines	(6) 687-706
Sederberg, T.W. and GJ. Wang, A simple verification of the implicitization formulae	
for Bézier curves (Short Communication)	(2) 225-228
Shapiro, V., Real functions for representation of rigid solids	(2) 153-175
Smith, P.W., see Marin, S.P.	(3) 247 - 267
Utreras, F.I., see Le Méhauté, A.	(1) 17- 37
van Damme, R., see Cottin, C.	(6) 675-686
Wang C. I. see Sederborg TW	(2) 225 220
Wang, GJ., see Sederberg, T.W.	(2) 225–228 (4) 245–261
Wang, W., see Joe, B.	(4) 345–361
Theng VF see Chang C	(2) 260, 207
Zheng, Y.F., see Cheng, C. Zhou, H.L., see Feng, Y.Y.	(3) 269–287
Zhou, H.L., see Feng, 1.1. Zhou, J., see Gregory, J.A.	(1) 97–107 (4) 301–410
Zilou, J., see Giegury, J.A.	(4) 391 - 410

